



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Applicant: Schessel
Serial No.: 09/942,005
Filed: August 28, 2001
Title: A Call Processing System

Docket No.: 1992P07463 US09
Examiner: R. Foster
Group Art Unit: 2645
Dated: 01.08.2004

2645
\$1
PATENT
Amdt C
2-19-04
MCH


CERTIFICATE OF TRANSMISSION
PURSUANT TO 37 CFR § 1.8

I hereby certify that this correspondence is being deposited with the U.S. Postal Service on this 8th day of January 2004 with sufficient postage as first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

RECEIVED

JAN 16 2004

Technology Center 2600


Brian K. Johnson, Reg. No. 46,808

Assistant Commissioner for Patents
Washington, DC 20231

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT (37 CFR 1.121)


Sir:

This reply is being provided in response to a Notice of Non-Compliant Amendment (37 CFR 1.121) mailed November 14, 2003 which provides for a response to be filed within one-month of the mailing. A copy of the Notice is enclosed. Unfortunately, possibly due to mailing delays during the holiday season, this Notice was received by our office on January 5, 2004. **Thus the Applicant requests that the need for an extension of time be waived with regard to this response.** In the alternative, a request for a two-month extension of time is also provided with this response, extending the period of response to and including January 14, 2004. In this event, please treat this paper as a

petition for the appropriate extension period and fee and charge/credit any fee
deficiencies/overpayments to Deposit Account No. 19-2179.

Enclosed please find a replacement copy of the Response to Restriction Requirement filed on
November 4, 2003 responsive to the Notice. In this regard, the replacement Restriction Requirement is
identical to that filed on November 4, 2003 except that it specifically includes the withdrawn and cancelled
claims.

Respectfully submitted,



Brian K. Johnson
Reg. No.: 46,808

Siemens Corporation
Intellectual Property Department
170 Wood Avenue South
Iselin, NJ 08830
Tel.No.: +1 (732) 321 3017

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO. 09/942,005	FILING DATE 08/28/2001	FIRST NAMED INVENTOR Larry Edward Schessel	ATTORNEY DOCKET NO. 1992P07463US 09
-------------------------------	---------------------------	---	--

Commissioner of Patents and Trademarks
P.O. Box 1450
Alexandria, VA 22313-1450

EXAMINER Ronald G. Foster

ART UNIT 2645	PAGE NUMBER 1
------------------	------------------

Response To RESTRICTION REQUIREMENT

RECEIVED

JAN 16 2004

Technology Center 2600

CERTIFICATE OF MAILING/TRANSMISSION
PURSUANT TO 37 C.F.R. § 1.8(a)

I hereby certify that this paper is, on the date shown below, being sent by:

MAILING

FACSIMILE

☒ Deposited with the United States Postal Service on this 8th day of January, 2004 with sufficient postage as first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

☐ transmitted by facsimile to the Patent and Trademark Office: to 703-_____ this _____ day of _____ 2003.

Brian K. Johnson

Reg. No. 46,808

Signature Brian K. Johnson

INTRODUCTORY COMMENTS

Responsive to the **OFFICIAL Action** mailed 08/21/2003, Applicant(s) submit the following amendments and/or responsive remarks.

A Petition for a two-month Extension of Time, extending the deadline for this Response from 09/21/03 to and including 11/21/03, is submitted herewith.

Applicant hereby authorizes the PTO to charge any and all necessary fees due, or provide reimbursements of excessive fees paid, to deposit account No. 19-2179.

IN THE UNITED STATES PATENT AND TRADE MARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
09/942,005	08/28/2001	Larry Edward Schessel	1992P07463US 09

Response To Restriction Requirement

EXAMINER

Ronald G. Foster

ART UNIT	PAGE NUMBER
----------	-------------

2645

2

AMENDMENTS TO THE SPECIFICATION

In the Specification:

--none--

RECEIVED

JAN 16 2004

Technology Center 2600